=> IFW: Scan as Doc Code: SRNT <= Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/774,091

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms



PALM INTRANET

Day: Wednesday Date: 7/5/2006 Time: 11:18:51

Inventor Information for 10/774091

| Inventor Name | City | State/Country | | | | | |
|--|------------------------------|------------------------|--|--|--|--|--|
| COBB, JAMES M. | BURIEN | WASHINGTON | | | | | |
| NIELSEN, TIMOTHY G. | KENT | WASHINGTON | | | | | |
| PALMATEER, JOHN W. | GIG HARBOR | WASHINGTON | | | | | |
| DELAND, JAMES A. | BOTHELL | WASHINGTON | | | | | |
| Appin Info Contents Petition Info Atty | //Agent Info Continuity Data | Foreign Data Inventors | | | | | |
| Search Another: Application# S | earch or Patent# | Search | | | | | |
| PCT / Search or PG PUBS # Search | | | | | | | |
| Attorney Docket # | Search | | | | | | |
| Bar Code # Search | | | | | | | |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

| US 20060103853 A1 | 20060518 | Optical projection system | 356/601 | | Palmateer; John W. |
|-------------------------|----------|--|-----------|--|----------------------------------|
| US 20050172470 A1 | 20050811 | Methods and systems for large-scale airframe assembly | 29/407.1 | 29/407.09; 29/430; 29/714 | Cobb, James M. et al. |
| US 7065434 B2 | 20060620 | Bicycle electronic control device with a reset function | 701/36 | 474/70; 701/70 | Uno; Kouji |
| US 7062980 B2 | 20060620 | Bicycle shift control device with decreased stress during shifting | 73/862.31 | | Takamoto; Ryuichiro et al. |
| US 7061228 B2 | 20060613 | Apparatus for detecting rotation of a bicycle part | 324/174 | 324/179; 340/432; 73/514.39 | Ichida; Tadashi et al. |
| US 7049944 B2 | 20060523 | Bicycle display with changing color attributes | 340/432 | 340/461; 340/462; 340/525; 340/691.6; 340/815.45; 340/815.65; 362/473 | Uno; Kouji |
| US 7048660 B2 | 20060523 | Bicycle derailleur with a flexible base member | 474/80 | | Shahana; Satoshi |
| US 7045910 B2 | 20060516 | Bicycle power supply with reduced battery leakage | 290/1C | 290/1R; 290/44; 290/50 | Kitamura; Satoshi et al. |
| US 7045217 B2 | 20060516 | Plated component for use in an outdoor environment | 428/457 | 242/322; 242/323; 242/611.1; 428/209; 428/446; 428/469; 428/472.2; 428/640; 428/650; 428/654; | Nishimura; Yasushi et al. |

| | | | | 428/701; 428/702; 428/908.8 | |
|------------------|----------|--|----------|---|----------------------------|
| US 7044876 B2 | 20060516 | Bicycle sprocket having lateral protrusions for use in a multiple sprocket assembly | 474/160 | 29/893; 474/152; 74/640 | Kamada; Kenji et al. |
| US 7044874 B2 | 20060516 | Bicycle rear derailleur | 474/82 | 474/80 | Shahana; Satoshi et al. |
| US 7044272 B2 | 20060516 | Apparatus for retaining a bicycle disk brake rotor to a bicycle wheel hub | 188/26 | 188/17; 188/18A; 301/110.5; 301/26 | Takizawa; Shinichi |
| US 7032719 B2 | 20060425 | Bicycle hub with an outside- accessible brake force adjusting mechanism | 188/26 | 188/17 | Takachi; Takeshi |
| US 7024959 B2 | 20060411 | Assisting apparatus for changing speeds in a bicycle transmission | 74/502.2 | 474/70; 74/501.6; 74/504 | Tetsuka; Toshio et al. |
| US 7015598 B2 | 20060321 | Power control apparatus for a bicycle | 307/47 | 307/68; 474/70 | Oohara; Kouji |
| US 7011592 B2 | 20060314 | Sprocket assembly for a bicycle | 474/160 | 474/152 | Shahana; Satoshi et al. |
| US 7011590 B2 | 20060314 | Shift assist apparatus for a bicycle transmission | 474/70 | 474/80; 474/82 | Ichida; Tadashi et al. |
| US 7004862 B2 | 20060228 | Method of using a motion sensor with a bicycle sprocket | 474/102 | 474/80; 474/82 | Fukuda; Masahiko |

•

| | | secure a | | | |
|-----------------|----------|---|----------|---|-------------------------------|
| | | sprocket to an | | | |
| | | outer race | | | |
| US 5785625 A | 19980728 | Internally mounted bicycle transmission using roller clutches | 475/297 | 192/41R; 475/286; 475/298 | Matsuo; Nobuyuki et al. |
| US 5785152 A | 19980728 | Lubricant- containing end cap for a bicycle control cable | 184/16 | 184/15.1; 74/502.4; 74/502.6 | Fujita; Kouji et al. |
| US 5784931 A | 19980728 | Bicycle pedal | 74/594.6 | 74/594.4 | Ueda; Yutaka |
| US 5784930 A | 19980728 | Bicycle pedal having a brace member that rotates relative to a cleat engaging mechanism | 74/594.6 | 74/594.4 | Ueda; Yutaka |
| US 5782716 A | 19980721 | Driving device for a bicycle | 475/149 | | Hukui; Seiji et al. |
| US 5779581 A | 19980714 | Top pull front derailleur | 474/82 | 474/80 | Fujii; Kazuhiro |
| US 5775168 A | 19980707 | Combined brake and shifting device | 74/489 | 74/501.6; 74/502.2 | Furuta; Haruhisa |
| US 5772547 A | 19980630 | Bicycle crankset | 474/77 | 474/78 | Terada; Masao |
| US 5771757 A | 19980630 | Clipless bicycle pedal with large shoe- contacting area | 74/594.4 | 74/594.6 | Hanamura; Junichi |
| US 5768945 A | 19980623 | Extension handle for a bicycle shifting device | 74/489 | 74/473.25; 74/502.2 | Ose; Kenji |
| US 5761835 A | 19980609 | Snowboard boot | 36/89 | 36/115; 36/68 | Okajima; Shinpei |
| US 5755139 A | 19980526 | Bicycle shift levers which surround a handlebar | 74/473.3 | 474/81; 74/489; 74/502.2; 74/551.8 | Kojima; Masao |

| US 5732598 A | 19980331 | Shifting apparatus for a | 74/473.13 | 74/502.2 | Shoge; Akihiko et al. |
|-----------------|----------|---|-----------|--|--------------------------|
| | | bicycle | | | |
| US 5730030 A | 19980324 | Shifting apparatus for bicycles having a brake operating unit disposed between first and second shifting levers | 74/473.13 | 74/489; 74/502.2 | Masui; Takuji |
| US D392233 S | 19980317 | Combined gear shifter and brake lever for bicycles | D12/179 | | Masui; Takuji |
| US 5728018 A | 19980317 | Method and apparatus for positioning a bicycle derailleur chain guide | 474/80 | 474/127; 474/128 | Terada; Masao et al. |
| US 5727337 A | 19980317 | Snowboard boot | 36/50.1 | 24/306; 36/115 | Okajima; Shinpei |
| US 5711731 A | 19980127 | Bicycle rear derailleur jockey pulley | 474/79 | 474/160; 474/80 | Fukuda; Masahiko |
| US 5704139 A | 19980106 | Snowboard shoes | 36/115 | 280/613; 36/117.3 | Okajima; Shinpei |
| US 5701786 A | 19971230 | Shifting device for a bicycle | 74/502.2 | 74/489 | Kawakami; Tatsuya |
| US D387706 S | 19971216 | Clipless bicycle pedal with large shoe- contacting area | D12/125 | | Hanamura; Junichi |
| US 5687492 A | 19971118 | Sandal | 36/131 | 36/11.5 | Muraoka; Tsutomu |
| US 5682794 A | 19971104 | Bicycle shifting control unit | 74/489 | 74/142; 74/473.14; 74/502.2 | Shibata; Toshio |
| US 5678455 A | 19971021 | Bar-end shifting device | 74/473.3 | 116/28.1; 74/489; 74/502.2; 74/506; 74/551.8; D12/179 | Watarai; Etsuyoshi |

| US 5676616 A | 19971014 | Protective cover for a bicycle | 474/144 | | Hara; Nobukatsu |
|----------------------|----------|--|-----------|---|---------------------------------|
| US 5662197 | 19970902 | derailleur Bicycle roller clutch | 192/64 | 188/82.84; 192/45 | Tabe; Koshi |
| A US 5655630 A | 19970812 | Bicycle brake device | 188/24.22 | 188/24.11 | Sugimoto; Masanori |
| US 5653649 A | 19970805 | Shifting apparatus for operating front and rear derailleurs with a single manual lever | 474/78 | | Watarai; Etsuyoshi |
| US 5642796 A | 19970701 | Bicycle hub | 192/64 | 192/45; 192/48.92; 301/110.5 | Tabe; Koshi |
| US 5636716 A | 19970610 | Bicycle brake device | 188/24.22 | 188/24.19 | Sugimoto; Masanori et al. |
| US 5636709 A | 19970610 | Lubricant- containing end cap for a bicycle control cable | 184/16 | 184/15.1; 74/502.4; 74/502.6 | Fujita; Kouji et al. |
| US 5632699 A | 19970527 | Bicycle chainwheel | 474/160 | | Nakamura; Yasushi |
| US 5625336 A | 19970429 | Display apparatus for a bicycle having a speed changer | 340/432 | 340/309.16; 340/309.3; 340/309.4; 340/309.7; 340/439; 340/441; 368/10 | Yamamoto; Seiji |
| US 5624336 A | 19970429 | Front derailleur with independently movable chain guide plates | 474/82 | | Kojima; Satoru |
| US 5624335 A | 19970429 | Rear derailleur for a bicycle | 474/80 | | Ando; Yoshiaki |
| US 5622412 A | 19970422 | Quick release apparatus for a bicycle | 301/124.2 | 301/110.5 | Yamane; Takuro |
| US 5621382 A | 19970415 | Display apparatus for a | 340/432 | 116/28.1; 340/456; | Yamamoto; Seiji |

| | | assembly | | | |
|------------------|----------|--|-----------|--|---------------------------------|
| US 7002280 B2 | 20060221 | Claw-pole dynamo with radially offset yoke arms | 310/263 | 310/216; 310/218 | Endo; Takahiro |
| US 7001294 B2 | 20060221 | Method of using a motion sensor with a bicycle sprocket assembly | 474/102 | 474/78; 474/82 | Fukuda; Masahiko |
| US 6997835 B2 | 20060214 | Electrically operated derailleur with power storing mechanism | 474/82 | 474/80 | Fukuda; Masahiko |
| US 6993995 B2 | 20060207 | Shift positioning device for a bicycle transmission | 74/502.2 | 74/489; 74/501.6 | Fujii; Kazuhiro |
| US 6992413 B2 | 20060131 | Bicycle hub dynamo with a freewheel | 310/67A | 310/216; 310/254 | Endo; Takahiro et al. |
| US 6988427 B2 | 20060124 | Seal assembly for a bicycle bottom bracket | 74/594.1 | 384/545 | Yamanaka; Masahiro |
| US 6978867 B2 | 20051227 | Bicycle hub with an attached cooling disk | 188/26 | 188/18R; 188/218R; 188/264A | Matsueda; Keiji |
| US 6976791 B2 | 20051220 | Bearing apparatus for a bicycle hub | 384/545 | 384/537; 384/906 | Kanehisa; Takanori et al. |
| US 6968926 B2 | 20051129 | Actuating assembly for a bicycle control device | 188/24.11 | 188/17; 188/2D; 188/26; 74/500.5; 74/502.4; 74/502.5; 74/502.6 | Matsueda; Keiji |
| US 6959941 B2 | 20051101 | Bicycle shift control apparatus that selectively restricts speed stages | 280/261 | 474/70; 701/52 | Takeda; Kazuhiro et al. |

| US 6959939 | 20051101 | Electronic | 280/238 | 280/260; | Fujii; |
|--------------|----------|----------------------------|----------|------------|----------------|
| B2 | | bicycle shift | | 280/288.4; | Kazuhiro et |
| | | control device | | 474/70 | al. |
| US 6957597 | 20051025 | Adjusting | 74/502.2 | | Irie; |
| B2 | | apparatus for a | | | Yoshinori et |
| | | bicycle brake | | | al. |
| | | control device | | | |
| US 6945888 | 20050920 | Combined | 474/70 | 474/80; | Fukuda; |
| B2 | | analog and | | 474/82 | Masahiko et |
| | | digital | | | al. |
| | | derailleur | | | |
| | | position | | | |
| | | processing | | | |
| | | apparatus | | | |
| US 6938516 | 20050906 | Bicycle crank | 74/594.1 | 411/374; | Yamanaka; |
| B2 | | axle bolt | | 411/430; | Masahiro |
| | | | | 74/594.2 | |
| US 6931958 | 20050823 | Apparatus for | 74/336R | 474/70; | Takeda; |
| B2 | | controlling | | 701/52 | Kazuhiro |
| | | first and | | | |
| | | second bicycle | | | |
| | | transmissions | | | |
| US 6926637 | 20050809 | Method and | 477/3 | 474/70 | Uno; Kouji |
| B2 | | apparatus for | | | |
| | | controlling a | | | |
| | | bicycle | | | |
| | 20050505 | transmission | 100/06 | 100/000 | 3.5 |
| US 6913119 | 20050705 | Apparatus for a | 188/26 | 188/323 | Matsueda; |
| B2 | | bicycle hub | | : | Keiji |
| 110 (001 (72 | 20050607 | brake | 22/502 | 22/227 | Cohb. Is |
| US 6901673 | 20050607 | Tie-in device | 33/502 | 33/227; | Cobb; James |
| B1 | | for the | | 33/293; | M. et al. |
| | | correlation of coordinate | | 702/95 | |
| | | | | | |
| US 6899649 | 20050531 | Systems Motor unit for | 474/70 | 474/78; | Ichida; |
| B2 | 20030331 | | 4/4//0 | 474/78, | Tadashi et al. |
| D2 | | an assisting apparatus for | | 4/4/60 | Tauasin et al. |
| | | changing | | | |
| | | speeds in a | | | |
| | | bicycle | | | |
| | | transmission | | | |
| US 6884190 | 20050426 | Bicycle shift | 474/78 | 474/70; | Takebayashi; |
| B2 | 20030420 | control device | ', ', ', | 701/55; | Haruyuki |
| 22 | | that inhibits | | 701/56; | 11414744 |
| | | the generation | | 701/95 | |
| | | of a second | | 1,01,75 | |
| L | .l | 1 01 4 5000114 | L | | |

| | | shift signal after the generation of a first shift signal | | | |
|------------------|----------|--|----------|---|-------------------------------|
| US 6880425 B2 | 20050419 | Shift control device for a bicycle transmission | 74/502.2 | 74/501.6 | Shahana; Satoshi |
| US 6877755 B2 | 20050412 | Shift control apparatus for a bicycle transmission that operates when signals are detected | 280/260 | 474/70 | Takamoto; Ryuichirou |
| US 6877393 B2 | 20050412 | Handgrip shifter for a bicycle | 74/502.2 | 74/473.14; 74/489; 74/505; 74/506 | Takachi; Takeshi |
| US 6875150 B2 | 20050405 | Multiple piece planet gear carrier for a bicycle hub transmission | 475/331 | 475/277; 475/288; 475/289; 475/901 | Matsuo; Nobuyuki et al. |
| US 6868752 B2 | 20050322 | Assisting apparatus for changing speeds in a bicycle transmission | 74/502.2 | 474/80; 74/489 | Tetsuka; Toshio et al. |
| US 6866604 B2 | 20050315 | Multiple level sprocket support for a bicycle | 474/160 | 474/152 | Kamada; Kenji et al. |
| US 6866279 B2 | 20050315 | Method and apparatus for controlling a bicycle transmission | 280/260 | 474/69 | Fujii; Kazuhiro |
| US 6860171 B1 | 20050301 | Drive mechanism for a bicycle transmission assist mechanism | 74/594.1 | 474/160; 74/594.2 | Nanko; Yoshiaki et al. |
| US 6848336 | 20050201 | Bicycle shift | 74/502.6 | 74/489; | Shahana; |

| B2 | | control device biased to a neutral position | | 74/501.6; 74/506 | Satoshi |
|------------------|----------|---|-----------|--|------------------------------------|
| US 6845687 B2 | 20050125 | Bicycle crank arm | 74/594.1 | 403/319; 403/359.1; 74/594.2; D12/123 | Yamanaka; Masahiro |
| US 6843741 B2 | 20050118 | Bell crank assembly and mounting bracket for a bicycle hub transmission | 474/70 | 280/238; 474/80; 74/473.14 | Fujii; Kazuhiro |
| US 6840129 B2 | 20050111 | Bicycle brake device | 74/502.4 | 74/502.6 | Itou; Minoru |
| US 6837505 B2 | 20050104 | Method and apparatus for controlling a bicycle transmission | 280/260 | 474/69 | Fujii; Kazuhiro |
| US 6837341 B2 | 20050104 | Apparatus for mounting a brake drum to a bicycle frame | 188/24.22 | 188/26 | Matsueda; Keiji |
| US 6837126 B2 | 20050104 | Bicycle cable connector for splicing two cables in series | 74/502.4 | 74/500.5; 74/501.5R; 74/502.6 | Matsuo; Nobuyuki |
| US 6835148 B2 | 20041228 | Method and apparatus for preventing improper shifting of a bicycle transmission | 474/70 | | Takebayashi; Haruyuki et al. |
| US 6835069 B2 | 20041228 | Apparatus for wiring bicycle electrical components | 439/34 | | Kitamura; Satoshi et al. |
| US 6834876 B2 | 20041228 | Method and apparatus for controlling a bicycle transmission with combined shift | 280/261 | 474/70; 701/52 | Fukuda; Masahiko |

| | 1 | commands | | | |
|------------------|----------|--|----------|---|----------------------------|
| US 6824159 B2 | 20041130 | Snowboard binding | 280/627 | 280/14.22 | Okajima; Shinpei et al. |
| US 6823758 B2 | 20041130 | Bicycle brake device | 74/502.4 | 116/283; 74/502.6 | Itou; Minoru |
| US 6793045 B2 | 20040921 | Apparatus for retaining a brake drum to a fastening bracket | 188/26 | 188/24.11 | Matsueda; Keiji |
| US 6788030 B2 | 20040907 | Voltage control circuit for a bicycle dynamo | 322/28 | 322/29 | Kitamura; Satoshi |
| US 6774771 B2 | 20040810 | Method and apparatus for informing a bicycle rider of an upcoming shifting operation | 340/432 | 280/260; 474/110 | Takeda; Kazuhiro |
| US 6768273 B2 | 20040727 | Dynamo control circuit for a bicycle | 315/291 | 315/297; 315/313 | Uno; Kouji |
| US 6763740 B1 | 20040720 | Bicycle device with a break- away attachment for a connecting cable | 74/500.5 | 24/3.4; 74/502.6 | Ose; Kenji |
| US 6761655 B2 | 20040713 | Motion sensor for use with a bicycle sprocket assembly | 474/70 | 474/102; 474/80 | Fukuda; Masahiko |
| US 6755095 B2 | 20040629 | Bicycle crank assembly and assembly tools | 74/594.1 | 74/594.2 | Yamanaka; Masahiro |
| US 6741045 B2 | 20040525 | Bicycle control apparatus that communicates power and data over a single transmission path | 318/14 | 318/560; 318/600; 375/135; 375/136; 375/237; 474/69; 474/70 | Kitamura; Satoshi |
| US 6740003 B2 | 20040525 | Method and apparatus for | 477/78 | 474/80 | Fukuda; Masahiko |

| | | controlling a bicycle | | | |
|------------------|----------|---|-----------|--|-------------------------------|
| | | transmission | | | |
| US 6737956 B1 | 20040518 | Password registration device for a bicycle | 340/5.54 | 340/5.5; 340/5.6; 475/158; 475/298 | Kimura; Yoshiki |
| US 6726587 B2 | 20040427 | Adjustable bicycle derailleur | 474/80 | 474/78 | Kawakami; Tatsuya |
| US 6725143 B2 | 20040420 | Method and apparatus for controlling a bicycle transmission | 701/51 | | Takeda; Kazuhiro |
| US 6724299 B2 | 20040420 | Bicycle data communication method and apparatus | 340/432 | 340/438; 482/57; 715/746; 73/379.01; 73/379.07 | Takeda; Kazuhiro et al. |
| US 6722220 B2 | 20040420 | Override control for a bicycle transmission | 74/335 | 474/70; 474/78; 74/336R | Takeda; Kazuhiro |
| US 6718844 B2 | 20040413 | Twist-grip shift control device for a bicycle | 74/502.2 | 74/473.14; 74/489; 74/505; 74/506 | Hanatani; Masahiro |
| US 6688440 B2 | 20040210 | Bicycle brake device with a rotation restrictor for a connecting joint | 188/344 | 188/24.11; 188/24.22 | Matsushita; Tatsuya et al. |
| US 6676549 B1 | 20040113 | Motion sensor for use with a bicycle sprocket assembly | 474/102 | 474/80; 474/82 | Fukuda; Masahiko |
| US 6663118 B1 | 20031216 | Snowboard interface with an upper portion that translates and rotates relative to a lower portion | 280/14.22 | 280/618; 36/118.2 | Otsuji; Takashi et al. |

| US 6659895 B2 | 20031209 | Motion sensor for use with a bicycle sprocket assembly | 474/70 | 324/168; 324/174; 474/160; 474/78; 474/80; 73/519.01 | Fukuda; Masahiko |
|------------------|----------|--|------------|---|------------------------------|
| US 6646400 B2 | 20031111 | Power control circuit for a bicycle electromotive unit | 318/479 | 315/78; 318/2; 320/123; 322/1 | Uno; Kouji |
| US 6644135 B1 | 20031111 | Torque sensor for a bicycle bottom bracket assembly | 73/862.338 | | Kishimoto; Hitoshi et al. |
| US 6641500 B2 | 20031104 | Bicycle hub transmission with a power control mechanism for a shift assist mechanism | 475/276 | 192/48.92; 475/331 | Shoge; Akihiko |
| US 6640938 B2 | 20031104 | Shift assist apparatus for a bicycle | 188/24.11 | 474/80 | Shoge; Akihiko |
| US 6626060 B2 | 20030930 | Bicycle cable connector for splicing two cables in series | 74/502.6 | 74/501.5R; 74/502.4 | Matsuo; Nobuyuki |
| US 6607465 B1 | 20030819 | Bicycle hub transmission with a guiding member for a sun gear | 475/297 | 74/439 | Shoge; Akihiko |
| US 6607457 B2 | 20030819 | Assisting apparatus for changing speeds in a bicycle transmission | 474/80 | 74/473.14; 74/473.16 | Kawakami; Tatsuya |
| US 6598894 B1 | 20030729 | Apparatus for mounting a signal element to a bicycle wheel | 280/288.4 | 116/28R; 116/284; 340/432; 359/523 | Fujii; Kazuhiro et al. |
| US 6594919 B1 | 20030722 | Snowboard boots | 36/115 | 36/117.1; 36/118.2; | Okajima; Shinpei |

| | | | | 36/118.9 | T |
|------------------|----------|---|----------|--|-------------------------|
| US 6573686 B2 | 20030603 | Bicycle battery charger and speedometer circuit | 320/123 | 180/205; 180/220; 320/107; 320/109 | Uno; Kouji |
| US 6572508 B2 | 20030603 | Pawl control mechanism for a bicycle hub transmission | 475/324 | 192/47; 475/289 | Shoge; Akihiko |
| US 6564671 B2 | 20030520 | Switch style bicycle shift control device | 74/502.2 | | Ose; Kenji |
| US 6559564 B1 | 20030506 | Bicycle hub with generator and antilock functions | 310/67A | 188/24.14; 188/24.17; 310/93 | Itou; Minoru |
| US 6557437 B2 | 20030506 | Handlebar adapter for mounting a bicycle display | 74/551.8 | 224/420 | Masui; Takuji et al. |
| US 6553861 B2 | 20030429 | Switch style bicycle shift control device | 74/502.2 | | Ose; Kenji |
| US 6533700 B2 | 20030318 | Bicycle hub transmission with a guiding member for a sun gear | 475/275 | 475/216 | Shoge; Akihiko |
| US 6530457 B1 | 20030311 | Bicycle brake disk with arms connecting an inner annular portion to an outer annular portion and tangent to an effective circle | 188/26 | 188/17; 188/218XL; 188/264A; 188/71.6 | Nago; Daisuke et al. |
| US 6510760 B2 | 20030128 | Bicycle cable connector for splicing two cables in series | 74/502.6 | 403/306; 439/378 | Matsuo; Nobuyuki |
| US 6482115 B2 | 20021119 | Cable connecting apparatus for a bicycle component | 474/80 | 188/24.19; 188/24.21; 411/302; 474/82; 74/502.4; 74/502.6 | Takachi; Takeshi |

| US 6481700 B1 | 20021119 | Bicycle shock absorber with elastic members closely fitted between first and second rotating members | 267/140.11 | 267/141.1; 267/150; 267/279; 267/284; 267/294 | Fujii; Kazuhiro |
|------------------|----------|--|------------|---|-----------------------|
| US 6470767 B2 | 20021029 | Cable connecting apparatus for bicycle component | 74/502.6 | 188/24.21; 411/302; 474/79; 474/80; 474/82; 74/502.4 | Takachi; Takeshi |
| US 6453766 B1 | 20020924 | Force transfer mechanism for a bicycle transmission control cable | 74/505 | 116/28.1; 74/473.14; 74/473.15; 74/489; 74/502.2; 74/506 | Ose; Kenji |
| US 6453764 B1 | 20020924 | Switch style bicycle shift control device | 74/501.6 | 74/502.2 | Ose; Kenji |
| US 6453262 B1 | 20020917 | Method and apparatus for selecting a processing mode for a bicycle computer | 702/145 | 324/160; 474/70 | Kitamura; Satoshi |
| US 6450060 B1 | 20020917 | Bicycle shift device having a linearly sliding shift lever operated by a pivoting cover | 74/502.2 | 74/502 | Shahana; Satoshi |
| US 6450059 B1 | 20020917 | Switch style bicycle shift control device | 74/501.6 | 74/473.14 | Ose; Kenji |
| US 6446922 B2 | 20020910 | Attachment piece for a bicycle display device | 248/230.1 | 248/214 | Irie; Yoshinori |
| US 6443032 B1 | 20020903 | Assisting apparatus for | 74/567 | 474/82; 74/500.5; | Fujii; Kazuhiro et |

| | | shifting a bicycle transmission | | 74/501.5R; 74/502.4; 74/502.6; 74/569 | al. |
|------------------|----------|---|-----------|---|------------------------------|
| US 6430040 B1 | 20020806 | Foldable bicycle computer | 361/683 | 324/160; 324/161; 324/224; 324/316; 324/368; 361/679; 361/684; 361/685 | Masui; Takuji |
| US 6427558 B1 | 20020806 | Reaction cam | 81/13 | | DeLand; James A. |
| US 6419602 B1 | 20020716 | Derailleur cable router with a cable housing support that | 474/80 | | Soon; Yeo Yong |
| | | pivots in multiple directions | | | |
| US 6418368 B2 | 20020709 | Electrical operating device for bicycles | 701/70 | 188/24.11; 340/427; 340/432 | Jinbo; Masahiko et al. |
| US 6418041 B1 | 20020709 | Bicycle power supply | 363/125 | 315/76; 362/473 | Kitamura; Satoshi |
| US 6415684 B1 | 20020709 | Bicycle crank arm parts/assembly and assembly tools | 74/594.1 | 74/594.2 | Yamanaka; Masahiro |
| US 6409197 B1 | 20020625 | Claw-pole dynamo and bicycle | 280/288.4 | 180/65.3; 180/65.5; 310/257; 310/67A; 310/75C | Endo; Takahiro et al. |
| US 6393939 B1 | 20020528 | Bicycle crank arm parts/assembly and assembly tools | 74/594.1 | 74/594.2 | Yamanaka; Masahiro |
| US 6386574 B1 | 20020514 | Snowboard boot binding | 280/624 | 280/14.21; 280/607; 280/613; 280/631 | Tanaka; Toshiyuki |

| US 6380731 B1 | 20020430 | Motor unit with an integrated speed sensor for a bicycle hub transmission | 324/173 | 280/238; 324/226 | Nishimoto; Naohiro |
|------------------|----------|--|-----------|---|----------------------------|
| US 6357783 B1 | 20020319 | Snowboard binding | 280/624 | 280/14.21; 280/14.22; 280/617; 280/626 | Okajima; Shinpei et al. |
| US 6353992 B1 | 20020312 | Method of manufacturing a bicycle crank | 29/527.5 | 164/91; 164/98; 29/897.2 | Mizobe; Eiji |
| US 6349614 B1 | 20020226 | Bicycle cable connector for splicing two cables in series | 74/502.6 | 74/501.5R | Matsuo; Nobuyuki |
| US 6341538 B1 | 20020129 | Cable connecting apparatus for a bicycle component | 74/502.6 | 188/24.19; 188/24.21; 474/79; 474/80; 474/82; 74/502.4 | Takachi; Takeshi |
| US 6328268 B1 | 20011211 | Attachment piece for a bicycle display device | 248/230.1 | 248/214 | Irie; Yoshinori |
| US 6325739 B1 | 20011204 | Bicycle hub transmission with a mechanism for stopping rotation of one or more sun gears relative to another member | 475/298 | 475/288 | Hino; Tetsuya |
| US 6325386 B1 | 20011204 | Rotatable seal assembly for a bicycle hub transmission | 277/500 | 277/551; 277/572; 384/486; 475/285; 475/297 | Shoge; Akihiko |
| US 6324938 B1 | 20011204 | Locking bicycle cable connecting apparatus | 74/502.6 | 403/309 | Okouchi; Hiroyuki |

| US 6312355 B1 | 20011106 | Bicycle transmission that shifts when a driver is in a predetermined rotational | 475/289 | 192/217.4; 475/298 | Nishimoto; Naohiro |
|------------------|----------|---|-----------|---|-----------------------------|
| US 6305241 B1 | 20011023 | position Handlebar adapter for mounting a bicycle display | 74/551.8 | 224/420 | Masui; Takuji et al. |
| US 6305237 B1 | 20011023 | Bicycle shift control device for controlling a gas actuated shifting device | 74/473.11 | 474/101; 474/82; 74/473.13; 74/488 | Ichida; Tadashi |
| US 6293883 B1 | 20010925 | Quick release derailleur | 474/82 | 474/78 | Ichida; Tadashi |
| US 6293882 B1 | 20010925 | Operating force compensating apparatus for a bicycle transmission | 474/80 | 474/70 | Kitamura; Satoshi et al. |
| US 6287228 B1 | 20010911 | Rear derailleur with cable guide roller | 474/82 | 474/80 | Ichida; Tadashi |
| US 6277044 B1 | 20010821 | Front derailleur with protective plate and connecting band | 474/80 | 474/82 | Fujimoto; Tadao |
| US 6276885 B1 | 20010821 | Bicycle crank arm parts/assembly and assembly tools | 411/403 | | Yamanaka; Masahiro |
| US 6276231 B1 | 20010821 | Grip for a bicycle shift control device | 74/551.9 | 74/489 | Yamane; Takuro |
| US 6276227 B1 | 20010821 | Bicycle shift control device | 74/489 | 474/166; 474/80; 74/502.2; 74/506 | Ose; Kenji |
| US 6244415 B1 | 20010612 | Motor controlled shift | 192/217 | 474/70; 74/473.14 | Fujii; Kazuhiro |

| | | control device including an idler gear for a bicycle transmission | | | |
|------------------|----------|---|----------|--|-------------------------------|
| US 6227070 B1 | 20010508 | Bicycle crank and method for manufacturing same | 74/594.1 | 29/897.2 | Mizobe; Eiji et al. |
| US 6227069 B1 | 20010508 | Grip for a bicycle shift control device | 74/551.9 | 16/411; 74/489 | Yamane; Takuro |
| US 6227068 B1 | 20010508 | Bicycle control device having a rotatable dial | 74/473.3 | 200/61.85 | Masui; Takuji et al. |
| US 6216078 B1 | 20010410 | Electrical operating device for bicycles | 701/70 | 188/24.11; 340/427; 340/432 | Jinbo; Masahiko et al. |
| US 6216060 B1 | 20010410 | Bicycle display apparatus switchable into diagnostic modes | 701/1 | 340/427; 340/432; 340/438; 340/439; 701/49 | Kishimoto; Hitoshi |
| US 6213910 B1 | 20010410 | Bicycle antitheft control device, shifting device and shifting system | 475/297 | 340/427; 340/432; 70/233 | Matsuo; Nobuyuki et al. |
| US 6212972 B1 | 20010410 | Grip for a bicycle shift control device | 74/551.9 | 16/421; 74/489 | Yamane; Takuro |
| US 6209858 B1 | 20010403 | Bicycle shock absorber linked together through first and second annular members | 267/201 | 267/279; 267/292; 280/259 | Fujii; Kazuhiro |
| US 6206799 B1 | 20010327 | Bicycle antitheft control device, shifting device and shifting system | 475/297 | 70/233 | Matsuo; Nobuyuki et al. |
| US 6206151 | 20010327 | Ventilated pad | 188/250B | 188/250G; | Nakamura; |

| B1 | | for a bicycle | | 188/73.1 | Yasushi |
|------------------|----------|--|-----------|--|---------------------------------|
| US RE37099 E | 20010320 | disc brake Brake apparatus for a bicycle | 188/24.14 | 74/388R | Hanada; Mitsugu |
| US 6202813 B1 | 20010320 | Pawl noise dampening mechanism for a bicycle freewheel | 192/64 | 192/46; 74/576 | Yahata; Yasuhiro et al. |
| US 6199446 B1 | 20010313 | Indicator unit for a bicycle shift control device | 74/502.2 | 116/28.1; 116/284; 74/107; 74/109; 74/473.14; 74/489; 74/DIG.7 | Ose; Kenji |
| US 6195894 B1 | 20010306 | Bicycle crank and method for manufacturing same | 29/897.2 | 164/132; 164/98; 29/527.3; 29/527.5; 29/527.6; 74/594.1 | Mizobe; Eiji et al. |
| US 6192300 B1 | 20010220 | Bicycle computer | 701/1 | 340/432 | Watarai; Etsuyoshi et al. |
| US 6178631 B1 | 20010130 | Method of heating and quenching a hollow metal member | 29/857 | 74/594.1 | Tanabe; Shin et al. |
| US 6176798 B1 | 20010123 | Multiple sprocket assembly for a bicycle | 474/160 | 474/902 | Nakamura; Yasushi |
| US 6164682 A | 20001226 | Snowboard binding | 280/613 | 280/14.22 | Okajima; Shinpei et al. |
| US 6164677 A | 20001226 | Bicycle antitheft control device, shifting device and shifting system | 280/297 | 280/288.4; 70/233 | Matsuo; Nobuyuki et al. |
| US 6162140 A | 20001219 | Motor driven derailleur | 474/70 | 474/80; 474/81 | Fukuda; Masahiko |
| US 6159119 A | 20001212 | Gas actuating mechanism for | 474/80 | 474/78 | Nakamura; Yasushi et al. |

| | | a bicycle derailleur | | | |
|-----------------|----------|--|-----------|---|-------------------------------|
| US 6155383 A | 20001205 | Bicycle brake device | 188/24.12 | 188/24.15 | Sugimoto; Masanori |
| US 6152847 A | 20001128 | Bicycle antitheft control device, shifting device and shifting system | 475/158 | 280/288.4; 475/298 | Matsuo; Nobuyuki et al. |
| US 6149541 A | 20001121 | Gas actuated derailleur having an indexing mechanism for setting a chain guide in a plurality of fixed positions | 474/80 | 474/122 | Nakamura; Yasushi et al. |
| US 6149176 A | 20001121 | Bicycle shock absorber with multilayered shock absorbing members | 280/284 | 192/209; 280/259; 74/594.1 | Fujii; Kazuhiro |
| US 6146297 A | 20001114 | Bicycle automatic shift control device with varying shift speeds | 474/78 | 280/238 | Kimura; Yoshiki |
| US 6145184 A | 20001114 | Method of manufacturing hollow bicycle crank arm | 29/527.6 | 164/132; 29/557; 29/897.2 | Yamanaka; Masahiro |
| US 6135906 A | 20001024 | Gas actuating device with an exhaust passage that prevents contamination of an actuating member | 474/82 | 474/104; 474/110; 91/433; 91/442 | Ichida; Tadashi |
| US 6135905 A | 20001024 | Derailleur cable router with a cable housing support that | 474/82 | 180/231; 474/80 | Soon; Yeo Yong |

| | | pivots in multiple directions | | | |
|-----------------|----------|--|-----------|--|----------------------|
| US 6135474 A | 20001024 | Vehicle frame | 280/216 | 280/288.3 | Nakamura; Yasushi |
| US 6134980 A | 20001024 | Internal bicycle hub transmission having an operating unit disposed inboard of the free end of an axle | 74/473.14 | 192/217.4; 475/297; 475/298; 74/502 | Uchiyama; Yuzuru |
| US D432056 S | 20001017 | Bicycle rear derailleur | D12/124 | | Hanamura; Junichi |
| US 6128973 A | 20001010 | Bicycle pedal system having variable tread surfaces | 74/594.6 | 403/24; 74/594.4; D12/125 | Nagano; Masashi |
| US 6117032 A | 20000912 | Protective plate for bicycle chain | 474/80 | 474/69 | Nankou; Yoshiaki |
| US RE36830 E | 20000822 | Low-friction derailleur cable router | 474/79 | 474/80 | Lumpkin; Wayne R. |
| US 6104975 A | 20000815 | Method and apparatus for calculating a pseudo crank rotational speed for a bicycle | 701/93 | 474/70; 701/55 | Matsuo; Nobuyuki |
| US 6102821 A | 20000815 | Multiple sprocket assembly for a bicycle | 474/160 | 474/164 | Nakamura; Yasushi |
| US 6101895 A | 20000815 | Grip for a bicycle shift control device | 74/551.9 | 74/489 | Yamane; Takuro |
| US 6089122 A | 20000718 | Connecting structure between bicycle pedal and cleat, bicycle pedal and cleat | 74/594.6 | 36/131 | Nagano; Masashi |

| US 6084506 A | 20000704 | Display apparatus for a bicycle | 340/432 | 345/33; 715/764 | Irie; Yoshinori |
|-----------------|----------|---|-----------|-----------------------------------|---------------------------------|
| US 6083136 A | 20000704 | Bicycle hub transmission with a shift key that is axially immovable relative to a clutch member | 475/297 | | Shoge; Akihiko |
| US 6079294 A | 20000627 | Bicycle crank and method for manufacturing same | 74/594.1 | | Mizobe; Eiji |
| US 6073730 A | 20000613 | Bicycle switch and bracket cover therefor | 188/24.11 | 340/432; 74/489 | Abe; Takeo |
| US 6073061 A | 20000606 | Bicycle operating method using predicted values | 701/1 | 280/260 | Kimura; Yoshiki |
| US 6069788 A | 20000530 | Foldable bicycle computer | 361/683 | 324/160; D10/98 | Masui; Takuji |
| US 6066057 A | 20000523 | Gas actuated derailleur having an indexing mechanism for setting a chain guide in a plurality of fixed positions | 474/79 | 280/216; 474/104; 474/82 | Nakamura; Yasushi et al. |
| US 6059171 A | 20000509 | Bicycle crank and manufacturing method | 228/164 | 228/125; 74/594.1; 74/594.2 | Yamanaka; Masahiro et al. |
| US 6058803 A | 20000509 | Hollow bicycle crank and method for manufacturing same | 74/594.1 | 280/259; 29/897.2; D12/123 | Yamanaka; Masahiro |
| US 6057657 A | 20000502 | Magnetically operated bicycle antitheft device | 318/16 | 318/520; 70/233 | Kitamura; Satoshi |

| US 6039665 A | 20000321 | Multiple sprocket assembly for a bicycle | 474/157 | 474/160 | Nakamura; Yasushi |
|-----------------|----------|---|-----------|--|---------------------------------|
| US 6039153 A | 20000321 | Bicycle brake with link-adjusted brake shoes | 188/24.22 | 188/24.19; 74/522 | Sugimoto; Masanori |
| US 6035558 A | 20000314 | Snowboard boot | 36/117.1 | 36/117.2; 36/118.2; 36/89; 36/93 | Okajima; Shinpei |
| US 6030307 A | 20000229 | Rear derailleur with a cable guide roller | 474/175 | 474/179 | Oka; Mitsuo |
| US 6030052 A | 20000229 | Bicycle hub shell with removable flanges | 301/110.5 | 301/124.2; 301/59 | Watarai; Etsuyoshi et al. |
| US 6015159 A | 20000118 | Method and apparatus for shifting a bicycle transmission | 280/238 | 280/236; 280/260; 474/103; 474/70 | Matsuo; Nobuyuki |
| US 6015118 A | 20000118 | Control cable guide for a bicycle | 248/65 | 280/288.4; 74/502.2 | Oda; Hiromi |
| US 6015036 A | 20000118 | Electrical shift control device for a bicycle transmission | 192/217 | 192/226 | Fukuda; Masahiko |
| US 6014913 A | 20000118 | Hollow crank spindle unit for bicycles | 74/594.1 | 384/545 | Masahiro; Yamanaka |
| US 6014910 A | 20000118 | Protective cap- system for bicycle cable | 74/502.6 | 74/500.5; 74/501.5R; 74/502.4 | Oda; Hiromi et al. |
| US 6013005 A | 20000111 | Bicycle hub transmission with a cylindrical bolt for coupling a weight support to a hub shell | 475/259 | 192/105CE; 192/3.52 | Tabe; Koshi |
| US 6013001 A | 20000111 | Bicycle sprocket having recesses | 474/160 | 474/156; 474/164 | Miyoshi; Hiroyuki |

| | | beneath chain receiving edges | | | |
|-----------------|----------|---|-----------|------------------------------------|-------------------------------|
| US 6012353 A | 20000111 | Gear position sensing unit | 74/502.2 | 74/473.13; 74/473.28; 74/488 | Kawakami; Tatsuya |
| US 6012237 A | 20000111 | Multiple jointed back support system for a snowboard boot | 36/118.2 | 36/117.1; 36/118.9 | Okajima; Shinpei et al. |
| US 6010425 A | 20000104 | Automatic bicycle hub transmission using flyweights | 475/259 | 192/64 | Tabe; Koshi |
| US 6004240 A | 19991221 | Bicycle hub transmission having a two- piece driver | 475/259 | 192/64 | Tabe; Koshi |
| US 5988325 A | 19991123 | Bicycle brake | 188/24.11 | 188/24.14; 188/26; 74/388R | Matsueda; Keiji |
| US 5967937 A | 19991019 | Motorized shift assist control apparatus for bicycle transmission | 475/297 | 475/298 | Matsuo; Nobuyuki |
| US 5964679 A | 19991012 | Internally mounted bicycle transmission using roller clutches | 475/297 | 475/296; 475/298 | Matsuo; Nobuyuki et al. |
| US 5964678 A | 19991012 | Internally mounted bicycle transmission | 475/297 | 192/217.4; 475/298 | Hanada; Mitsugu et al. |
| US 5961416 A | 19991005 | Internally mounted bicycle transmission | 475/297 | 192/217 | Shoge; Akihiko |
| US 5961409 A | 19991005 | Rear derailleur for a bicycle | 474/82 | 474/80 | Ando; Yoshiaki |
| US 5957792 A | 19990928 | Cable support for a derailleur | 474/83 | 474/127 | Ando; Yoshiaki |

| US 5957592 A | 19990928 | Expandable bearing retainer | 384/526 | 384/531 | Yamanaka; Masahiro |
|-----------------|----------|---|-----------|------------------------------------|---------------------------------|
| US 5954604 A | 19990921 | Multiple sprocket assembly for a bicycle | 474/160 | 474/158; 474/78 | Nakamura; Yasushi |
| US 5950335 A | 19990914 | Snowboard boots | 36/115 | 36/50.5; 36/55; 36/89; 36/91 | Okajima; Shinpei |
| US 5945794 A | 19990831 | Power saving antitheft control device for a bicycle | 318/16 | 318/520 | Kitamura; Satoshi |
| US 5941125 A | 19990824 | Bicycle shifting apparatus having remotely located levers for operating a single transmission | 74/473.14 | 74/480R; 74/489; 74/502.2 | Watarai; Etsuyoshi et al. |
| US 5931753 A | 19990803 | Rear deraileur with shock absorber | 474/82 | 474/80 | Ichida; Tadashi |
| US 5928103 A | 19990727 | Internal bicycle hub transmission with a clutch that rotates and moves axially | 475/297 | | Shoge; Akihiko |
| US 5924328 A | 19990720 | Braking device for bicycles | 74/489 | 188/2D; 74/502.2 | Okajima; Shinpei et al. |
| US 5921881 A | 19990713 | Narrow bicycle chain with inner links that receive sprocket teeth within a bottom recess | 474/217 | 474/157; 474/220; 474/229 | Nakamura; Yasushi |
| US 5921139 A | 19990713 | Bicycle shift control device | 74/473.13 | 74/143; 74/489; 74/505 | Yamane; Takuro |
| US 5921138 A | 19990713 | Bicycle shift device having a linearly | 74/473.13 | 74/473.14; 74/489; 74/502.2 | Kojima; Masao et al. |

| | | sliding shift lever | | | |
|-----------------|----------|--|-----------|---|-----------------------------|
| US 5919106 A | 19990706 | Quick release derailleur | 474/82 | 474/78 | Ichida; Tadashi |
| US 5915821 A | 19990629 | Snowboard boot | 36/117.1 | 36/118.2; 36/118.7; 36/118.8; 36/118.9 | Okajima; Shinpei et al. |
| US 5913388 A | 19990622 | Bicycle brake device | 188/24.22 | 188/24.12; 188/24.15 | Ota; Katsuyuki et al. |
| US 5909931 A | 19990608 | Bicycle hub | 301/110.5 | | Tabe; Koshi |
| US 5908089 A | 19990601 | Cantilever brake device | 188/24.21 | 188/2D; 188/24.19 | Sugimoto; Masanori |
| US 5907980 A | 19990601 | Bicycle crank arm parts/assembly and assembly tools | 74/594.1 | 411/302; 81/436 | Yamanaka; Masahiro |
| US 5904629 A | 19990518 | Rear derailleur with a cable guide roller and a pivoting cable casing support | 474/78 | 180/231; 474/82 | Oka; Mitsuo |
| US 5903214 A | 19990511 | Bicycle display apparatus | 340/432 | 200/61.85; 200/61.88; 200/61.91; 324/207.2; 324/207.25; 340/456; 340/461; 340/525; 74/473.1 | Watarai; Etsuyoshi |
| US 5900705 A | 19990504 | Motor control device for a bicycle | 318/286 | 180/221; 318/2; 70/233 | Kimura; Yoshiki |
| US 5897451 A | 19990427 | Bicycle derailleur having operating forces disposed on opposite sides of a link pivot | 474/82 | 474/78; 474/80 | Ichida; Tadashi |
| US 5894759 | 19990420 | Bicycle shift | 74/473.13 | 74/480R; | Nakamura; |

| A | | control device having spaced apart operating units | | 74/489 | Yasushi |
|-----------------|----------|---|-----------|-------------------------------------|------------------------------|
| US 5886623 A | 19990323 | Bicycle display device which displays tire information | 340/432 | 324/160; 340/525 | Jinbo; Masahiko et al. |
| US 5882274 A | 19990316 | Internally mounted bicycle transmission | 475/297 | 475/298 | Shoge; Akihiko |
| US 5882088 A | 19990316 | Bicycle hub | 301/110.5 | 301/59 | Yahata; Yasuhiro |
| US 5875687 A | 19990302 | Protective cap system for bicycle cable | 74/502.4 | 74/502.5 | Oda; Hiromi et al. |
| US 5868043 A | 19990209 | Bicycle pedal | 74/594.6 | | Ueda; Yutaka |
| US 5865276 A | 19990202 | Cantilever brake device | 188/24.21 | 188/24.12 | Sugimoto; Masanori |
| US 5862711 A | 19990126 | Apparatus for sealing a bicycle control cable | 74/502.4 | 74/501.5R; 74/502.6 | Oda; Hiromi |
| US 5862709 A | 19990126 | Bicycle shift control device | 74/489 | 74/501.6; 74/502.2 | Kageyama; Tomohiko |
| US 5860880 A | 19990119 | Low normal bicycle derailleur which allows lateral movement of the chain guide toward the rear wheel in response to a force directed laterally towards the rear wheel | 474/77 | 474/82 | Oka; Mitsuo |
| US 5857932 A | 19990112 | Cable operated control apparatus | 474/82 | 188/24.22; 74/502.2; 74/502.3 | Sugimoto; Masanori |
| US 5855529 A | 19990105 | Apparatus for guiding a control cable | 474/80 | 188/24.12; 254/394; 74/502.6 | Sugimoto; Masanori |

| US 5852954 A | 19981229 | Bicycle crank arm parts/assembly and assembly tools | 74/594.1 | 74/594.2; 81/176.1; 81/436; 81/459 | Yamanaka; Masahiro |
|-----------------|----------|---|-----------|--|------------------------|
| US D402948 S | 19981222 | Brake unit for a bicycle | D12/180 | | Nishimura; Tomohiko |
| US 5850702 A | 19981222 | Snowboard boot sole | 36/31 | 36/107; 36/115; 36/117.3 | Okajima; Shinpei |
| US 5848555 A | 19981215 | Auxiliary shift lever for use with a bicycle shifting device | 74/473.13 | 74/480R; 74/489; 74/544; 74/551.8 | Watarai; Etsuyoshi |
| US 5847641 A | 19981208 | Bicycle computer | 340/432 | 340/438; 340/456; 340/459; 340/461; 340/601; 340/870.01; 702/142; 702/158 | Jinbo; Masahiko |
| US 5846148 A | 19981208 | Bicycle front derailleur | 474/80 | | Fujii; Kazuhiro |
| US 5845543 A | 19981208 | Bicycle crank arm parts/assembly and assembly tools | 74/594.1 | 74/594.2 | Yamanaka; Masahiro |
| US 5833040 A | 19981110 | Internal bicycle transmission with a coaster brake | 192/217.3 | 475/297 | Hanada; Mitsugu |
| US 5832782 A | 19981110 | Brake and shifting device | 74/473.13 | 116/28.1; 192/215; 74/489; 74/502.2 | Kawakami; Tatsuya |
| US 5829563 A | 19981103 | Internal bicycle transmission with a coaster brake | 192/223 | 192/217.4; 475/298 | Shoge; Akihiko |
| US 5828145 A | 19981027 | Bicycle generator- containing hub and a lighting | 310/67A | 310/263; 362/192 | Nakamura; Kazunori |

| | | apparatus using the hub | | | |
|-----------------|----------|---|-----------|-------------------------------------|-----------------------------|
| US 5822889 A | 19981020 | Bicycles shoes | 36/131 | | Ueda; Yutaka |
| US 5819880 A | 19981013 | Bicycle brake shoe holder | 188/24.22 | 188/250G | Ota; Katsuyuki et al. |
| US 5819600 A | 19981013 | Bicycle crank arm parts/assembly and assembly tools | 74/594.1 | 74/594.2 | Yamanaka; Masahiro |
| US 5819599 A | 19981013 | Bicycle crank arm parts/assembly and assembly tools | 74/594.1 | 74/594.2 | Yamanaka; Masahiro |
| US 5819589 A | 19981013 | Bicycle brake operating device | 74/489 | 74/104; 74/516 | Nakashima; Yuji et al. |
| US 5819440 A | 19981013 | Back support for a snowboard boot | 36/117.1 | 36/115; 36/88 | Okajima; Shinpei |
| US 5816377 A | 19981006 | Bicycle freewheel | 192/64 | 192/46 | Nakamura; Yasushi |
| US 5809840 A | 19980922 | Protective cap system for bicycle cable | 74/502.6 | 74/500.5; 74/501.5R; 74/502.4 | Oda; Hiromi et al. |
| US 5806375 A | 19980915 | Apparatus for sealing a bicycle control cable | 74/501.5R | 74/502.4; 74/502.6 | Oda; Hiromi |
| US 5802923 A | 19980908 | Shifting apparatus for a bicycle | 74/473.13 | 74/489 | Hara; Nobukatsu |
| US 5799544 A | 19980901 | Apparatus for sealing a bicycle control cable | 74/502.4 | 74/502.6 | Oda; Hiromi |
| US 5799542 A | 19980901 | Bicycle shift control device | 74/489 | 74/142; 74/473.1; 74/502.2 | Yamane; Takuro |
| US 5788593 A | 19980804 | Multiple sprocket assembly adapted to | 474/160 | | Tiong; Khoo Kean |

| | 1 | hiorrala | T | 245/25. | T |
|-------------|----------|------------------|-----------|------------|---------------|
| | | bicycle | | 345/35; | |
| | | | | 434/61; | |
| • | | | | 474/81; | |
| | | | | 482/57; | |
| - | | | | 482/902; | |
| | | | | 74/489; | |
| | | | | D12/114 | |
| US 5620384 | 19970415 | Front | 474/82 | 474/123 | Kojima; |
| | 17770413 | derailleur for a | 774/02 | 4747125 | Satoru et al. |
| A | | | | | Satoru et al. |
| 710.5610041 | 10070400 | bicycle | 47.4/00 | 474/107 | 0 77 " |
| US 5618241 | 19970408 | Bicycle | 474/80 | 474/127; | Ose; Kenji |
| A | | shifting device | | 74/489; | |
| | | | | 74/502.3 | |
| US 5617761 | 19970408 | Shifting | 74/473.13 | 74/142; | Kawakami; |
| Α | | apparatus for a | | 74/489 | Tatuya |
| | | bicycle | | | |
| US 5609064 | 19970311 | Shifting | 74/502.2 | 116/28.1; | Abe; Takeo |
| A | 17770311 | apparatus for a | 747502.2 | 74/489 | 7100, Tukoo |
| A | | bicycle | | 7-7-09 | |
| 110 5500564 | 10070107 | | 74/472 12 | 74/100 | IZ : -1. : |
| US 5590564 | 19970107 | Bicycle control | 74/473.13 | 74/108; | Kishimoto; |
| A | | device | | 74/489; | Hitoshi |
| | | | | 74/502.2; | |
| | |] | | 74/527 | |
| US 5579879 | 19961203 | One-way | 192/45 | 192/109R | Hasegawa; |
| A | | clutch | | | Kiyoshi |
| US 5577969 | 19961126 | Shifting | 474/78 | _ | Watarai; |
| A | | apparatus for | | | Etsuyoshi |
| 1 | | operating front | - | | |
| | | and rear | | | |
| | | derailleurs | | | |
| | | | | | |
| | | with a single | | | |
| | | manual level | | | |
| US 5564310 | 19961015 | Shifting | 74/489 | 74/473.13; | Kishimoto; |
| A | | apparatus for a | | 74/502.2 | Hitoshi |
| | | bicycle having | | | |
| | | locking | | İ | |
| | | members | | | |
| | | enclosed | | | |
| | | radially within | | | |
| | | _ | | | |
| | | a takeup | | | |
| | | element | | 1.5.5.5 | |
| US 5562563 | 19961008 | Control system | 475/298 | 475/289; | Shoge; |
| A | 1 | for a working | | 475/312 | Akihiko |
| | | apparatus for | | | |
| | | use on a | | | |
| | | bicycle | | 1 | |
| US 5535855 | 19960716 | Bicycle hub | 188/24.14 | 188/26; | Hanada; |
| ودورودر ون | 17700/10 | 1 Dicycle Hub | 100/47.17 | 100/20, | Tanada, |

| A | | brake | | 74/388R | Mitsugu |
|-----------------|----------|--|-----------|--|---------------------------------|
| US 5524734 A | 19960611 | Brake apparatus for a bicycle which corrects braking force in a region of strong braking force | 188/26 | 188/323 | Hanada; Mitsugu |
| US 5518456 A | 19960521 | Bicycle derailleur | 474/77 | 474/82 | Kojima; Satoru et al. |
| US 5515946 A | 19960514 | Brake unit for a bicycle | 188/24.21 | 188/24.12 | Sugimoto; Masanori et al. |
| US 5496222 A | 19960305 | Front derailleur for a bicycle | 474/80 | | Kojima; Satoru et al. |
| US 5495920 A | 19960305 | Braking force adjusting apparatus for a bicycle | 188/24.22 | 188/24.19 | Tsuyoshi; Sakashita |
| US 5029280 A | 19910702 | ECL circuit for resistance and temperature bus drop compensation | 327/540 | 326/126; 327/513; 327/594 | Yee; Loren W. et al. |
| US 4811215 A | 19890307 | Instruction execution accelerator for a pipelined digital machine with virtual memory | 712/214 | | Smith; Alan J. |
| US 4795984 A | 19890103 | Multi-marker, multi- destination timing signal generator | 327/269 | 327/273; 377/26; 377/39 | Janssen; James R. |
| US 4791314 A | 19881213 | Oscillation- free, short- circuit protection circuit | 326/32 | 326/56; 326/89; 326/90; 361/101 | Kuo; James R. et al. |
| US 4791313 A | 19881213 | Bipolar transistor switching enhancement | 327/109 | 327/376; 327/482; 330/156 | Kuo; James R. et al. |

| | | circuit | | | |
|-----------------|----------|--|-----------|---|--------------------------------|
| US 4785178 A | 19881115 | Dry storage irradiator structure | 250/497.1 | 250/454.11; 250/515.1; 378/64; 976/DIG.353 | Lynch; Patrick A. et al. |
| US 4754412 A | 19880628 | Arithmetic logic system using the output of a first alu to control the operation of a second alu | 708/521 | 708/201 | Deering; Michael F. |